

LYNKVERTX

**GRAPHICS STANDARDS
MANUAL**





链宇科技是一家高科技创新企业，在科技驱动经济的高质量发展的新时期快速成长，推动并见证中国新经济的腾飞。我们的品牌，将有助于我们在面向客户、公众时更好地表达链宇科技企业文化、理念、业务和成就。完善的品牌视觉体系系统将帮助我们更准确、直接地传达链宇科技的品牌定位，打造持久的竞争优势。

品牌是信誉的长期积累，是企业的无形资产和核心竞争“软实力”。保持品牌传递的一致性、规范性，为企业的发展提供有力的保障，需要确保品牌得到完善的管理和一致应用，本指导手册旨在为你制作和实施链宇科技品牌传播时提供帮助，请确保严格遵守本手册提及的重要原则，从而保护我们最珍贵的资产之一链宇科技品牌。

本指导手册中的所有图片仅作示范目的。如欲使用内容请与大市场部联系。

LYNKVERTX is a high-tech innovative company, which has grown rapidly in the new era of the expected development of technology-driven economy, and promoted and witnessed the take-off of China's new economy. Our brand will help us to better and better the brand visual system when we are facing customers and the public. It will help us to more accurately and directly communicate LYNKVERTX's brand positioning and create lasting competitive advantages.

A brand is a long-term accumulation of credibility, an intangible asset of an enterprise, and "soft power" of core competition. Maintaining the consistency and standardization of brand transmission will provide a strong guarantee for the development of the enterprise. It is necessary to ensure that the brand is well-managed and applied consistently. This guidebook is designed to help you in the production and implementation of LYNKVERTX brand, Please make sure to strictly adhere to the important principles mentioned in this manual, thereby protecting one of our most precious assets, the LYNKVERTX brand.

All pictures in this instruction manual are for demonstration purposes only. If you want to use the content, please contact the marketing department.

目录CONTENTS

1 品牌策略核心 THE CORE OF BRAND STRATEGY	1-1 品牌愿景 BRAND VISION			02
	1-2 品牌定位 BRAND POSITIONING			03
	1-3 品牌价值观 BRAND VALUE			04
	1-4 品牌个性 BRAND PERSONALITY			05
2 品牌标识 LOGO	2-1 图形标识 SYMBOL		标识释义	09
			图形标识黑白稿	10
			图形标识制图规范	11
			图形标识安全范围	12
	2-2 文字标识 LOGOTYPE	2-2-1 中文标识 CHINESE LOGOTYPE	中文标识	14
			中文标识黑白稿	15
			中文标识制图规范	16
			中文标识安全范围	17
		2-2-2 英文标识 ENGLISH LOGOTYPE	英文标识	18
			英文标识黑白稿	19
			英文标识制图规范	20
			英文标识安全范围	21
	2-3 图形标识与文字标识组合 SYMBOL AND LOGOTYPE COMBINATION	2-3-1 图形标识与文字标识横板组合 SYMBOL AND LOGOTYPE- HORIZONTAL COMBINATION	图形标识与文字标识横板组合黑白稿	23
			图形标识与文字标识横板组合制图规范	24
			图形标识与文字标识横板组合安全范围	25
		2-3-2 图形标识与文字标识竖板组合 SYMBOL AND LOGOTYPE -VERTICAL COMBINATIONT	图形标识与文字标识竖板组合黑白稿	28
			图形标识与文字标识竖板组合制图规范	29
			图形标识与文字标识竖板组合安全范围	30

3 标识的使用规范
USE OF LOGO

3-1 标识的优先级使用规范 PRIORITY USE OF LOGO	3-1-1 标识的优先级使用规范总览 THE OVERVIEW OF PRIORITY USE		33
	3-1-2 图形标识与中英文组合标识使用规范 USE OF SYMBOL AND LOGOTYPE COMBINATION	图形标识与中英文横板组合标识使用范例 图形标识与中英文竖板组合标识使用范例	35 36
	3-1-3 图形标识使用规范 USE OF SYMBOL		37
3-2 标识最小使用规范 USE OF MINIMUM SIZE	3-2-1 图形标识与中英文横版组合标识最小使用规范 MINIMUM SIZE OF HORIZONTAL COMBINATION		39
	3-2-2 图形标识与中英文竖版组合标识最小使用规范 MINIMUM SIZE OF VERTICAL COMBINATION		40
	3-2-3 图形标识最小使用规范 MINIMUM SIZE OF SYMBOL		41
3-3 特殊材质的图形标识使用规范 USE OF LOGO IN SPECIAL MATERIAL	3-3-1 特殊材质的图形标识使用规范 USE OF LOGO IN SPECIAL MATERIAL		43
	3-3-2 特殊材质的图形标识使用范例 USE EXAMPLES OF LOGO IN SPECIAL MATERIAL		44
3-4 标识禁止使用 INCORRECTUSES	3-4-1 图形标识禁止使用规范 INCORRECT USE OF SYMBOL		46
	3-4-2 英文标识禁止使用规范 INCORRECT USE OF ENGLISH LOGOTYPE		47
	3-4-3 中英文组合标识禁止使用规范 INCORRECT USE OF LOGOTYPE COMBINATIONUY		48
	3-4-4 图形标识与文字标识禁止使用规范 INCORRECT COMBINATION OF SYMBOL AND LOGOTYPE		49

目录CONTENTS

4 核心元素 COREELEMENTS	4-1 图标 ICONS	图标特征提取	52
		图标模板	53
		图标颜色	54
		图标池	55
	4-2 标识色彩 COLOR	标准色	57
		图形标识标准版	58
		图形标识标准色	59
		图形标识反白色	60
		文字标识标准色	61
		文字标识反白色	62
		标识色彩禁止使用范例	63
	4-3 辅助色&辅助图形 EXTENDED COLOR & GRAPHICS	辅助色	65
		辅助图形黑白稿	66
		辅助图形使用范围	67
		单色辅助图形(红色色阶)	68
		单色辅助图形(橙色色阶)	69
		单色反白辅助图形(红色色阶)	70
		单色反白辅助图形(橙色色阶)	71
		第二层级辅助色	72
		第二层级辅助色使用范例	73
	4-4 特殊色彩 SPECIAL COLOR PALETTE	特殊色彩(新年)	75
		特殊色彩不同底色的辅助图形(新年)	76
	4-5 排印字体 TYPOGRAPHY	中文字型字重选择	78
		中文字型排印预览	79
		西文字型字重选择	80
		西文字型排印预览	81
		中/西文字型字重搭配	82
		中/西文字型排印标题效果预览一	83
		中/西文字型排印标题效果预览二	84
		中/西文字型排印标题效果预览三	85
		中/西文字型排印标题效果预览四	86
		中/西文字型排印正文效果预览一	87
		中/西文字型排印正文效果预览二	88
		中/西文字型排印正文效果预览三	89

The core of brand strategy needs to be around the meaning of the company in its business area.
Content essence can be integrated into any brand information communication, Ensure the consistency of the brand's message.

品牌策略核心需要围绕企业在其业务领域中所存在的意义。
内容精髓可融入于任何品牌信息传播中, 保证品牌传递信息的一致性。

The core of our strategy in the brand transfer process includes the main elements of brand vision, brand positioning, brand values, and brand personality. These elements should be fully reflected in brand transmission and use in various occasions.

我们在品牌传递过程中的策略核心, 包括品牌愿景、品牌定位、品牌的价值观、品牌个性几项主要元素。这些元素应充分体现在各种场合下的品牌传递和品牌使用中。

1-1

电充冬夏, 网连九州

智慧双向车-网互动

绿色微电网储充管理

全气候车辆极速能量补给

电池+电力电子+智能算法强耦合技术平台

1-2

面向碳中和的交通能源互联变革者

智慧车网互动聚合调度平台

全气候储充检一体化智慧能源系统

大功率双向高频电源模块

远见终局

深挖争议

洞穿本质

团结奋斗

开创体验

坦诚高效

科技
Technological

未来
Futuristic

智能
Intelligent

生态
ECO-Friendly

信赖
Reliable

责任
Responsible

2-1

The logo is a symbol of the non color system (black, white, gray) performance. By hiding color information, achromatic system makes the structural relationship and color distribution of logo graphics more clear and accurate. While reducing the cost for designers to use and understand the logo composition, it also ensures the accuracy and stability of logo visual output.


标志墨稿即为标志的无彩色系(黑、白、灰)表现。无彩色系通过隐藏色彩信息, 使标志图形的结构关系、及色彩分布, 变得更为清晰准确。降低设计人员对于标志构成使用及理解成本的同时, 也确保了标志视觉输出的准确性及稳定性。




标识释义

SYMBOL
DESCRIPTION


该方案是以代表万物初始的原子,体现充电迅速的闪电与风,表现绿色循环的循环标识,以及象征永恒的银河,进行了巧妙的融合与创作而产生的图形方案。图形简约、抽象且充满变化,呈现出品牌丰富的内涵与新的方向。色彩上选择红色以为主的渐变色调,在体现体现安全与科技的属性之上,赋予丰富的变化,加强了标识的独特性与多元性。



原子
初始



闪电
充电迅速



循环
绿色现代概念



风
速度



银河
永恒

图形标识

黑白稿

In order to meet the needs of the publishing media, in addition to color graphics, monochrome black and white legends have also been developed to ensure that the logo reflects consistency in the external image. This is a standard reverse image of the logo. The scope of use is mainly used in the printing of newspapers, faxes and other mono- chrome (black and white) prints that cannot be identified with gradient or color.


为适应发布媒体的需求，除彩色图形以外，亦制定单色黑白图例，保证标识在对外的形象中体现一致性。此为标识的标准反白图，使用范围主要应用于报纸广告，传真等无法识别渐变或彩色的单色（黑白）印刷范畴内，请严格按照此规范进行。




图形标识 制图规范

The standardized drawing is to standardize the consistency of the table mark in various occasions. Please observe this standard in use. For normal use, please directly call the electronic file in the manual, and enlarge, reduce, and stretch according to this proportion according to needs.

标准化制图是为了规范表标识在各种场合使用的一致性, 请在使用中遵守此标准, 常规运用请直接调用手册中的电子文件, 根据需要按此比例放大和缩小、拉伸。




图形标志渐变规范:



图形标识 安全范围

The safe area of the sign is measured by the width of "a" . In order to ensure that the sign is clear and legible at all times, the sign should always maintain a clear safety range, and sufficient space must be reserved around it as a reserved space. No text, graphics or other elements are allowed in the reserved space.

标志的安全区域以字母“a”的宽度作为度量单位, 为了最大程度确保标志清晰易辨, 标志应始终保持一个明确的安全范围, 其周边必须保留足够的空间作为预留空间, 在预留空间内禁止出现任何文字、图案或其他元素。



2-2

The logo is a symbol of the non color system (black, white, gray) performance. By hiding color information, achromatic system makes the structural relationship and color distribution of logo graphics more clear and accurate. While reducing the cost for designers to use and understand the logo composition, it also ensures the accuracy and stability of logo visual output.

标志墨稿即为标志的无彩色系(黑、白、灰)表现。无彩色系通过隐藏色彩信息, 使标志图形的结构关系、及色彩分布, 变得更为清晰准确。降低设计人员对于标志构成使用及理解成本的同时, 也确保了标志视觉输出的准确性及稳定性。

2-2-1

链宇科技

In order to meet the needs of the publishing media, in addition to color graphics, monochrome black and white legends have also been developed to ensure that the logo reflects consistency in the external image. This is a standard reverse image of the logo. The scope of use is mainly used in the printing of newspapers, faxes and other mono- chrome (black and white) prints that cannot be identified with gradient or color.

为适应发布媒体的需求，除彩色图形以外，亦制定单色黑白图例，保证标识在对外的形象中体现一致性。此为标识的标准反白图，使用范围主要应用于报纸广告，传真等无法识别渐变或彩色的单色（黑白）印刷范畴内，请严格按照此规范进行。

链宇科技

链宇科技

中文标识 制图规范

The standardized drawing is to standardize the consistency of the table mark in various occasions. Please observe this standard in use. For normal use, please directly call the electronic file in the manual, and enlarge, reduce, and stretch according to this proportion according to needs.

标准化制图是为了规范表标识在各种场合使用的一致性, 请在使用中遵守此标准, 常规运用请直接调用手册中的电子文件, 根据需要按此比例放大和缩小、拉伸。

	a	10a	a	
a				a
2.35a		链宇科技		
a				a
	a		a	

中文标识 安全范围

The safe area of the sign is measured by the width and height of "链". In order to ensure that the sign is clear and legible at all times, the sign should always maintain a clear safety range, and sufficient space must be reserved around it as a reserved space. No text, graphics or other elements are allowed in the reserved space.

标志的安全区域以“链”的宽度和高度作为度量单位，为了最大程度确保标志清晰易辨，标志应始终保持一个明确的安全范围，其周边必须保留足够的空间作为预留空间，在预留空间内禁止出现任何文字、图案或其他元素。



The logo is a symbol of the non color system (black, white, gray) performance. By hiding color information, achromatic system makes the structural relationship and color distribution of logo graphics more clear and accurate. While reducing the cost for designers to use and understand the logo composition, it also ensures the accuracy and stability of logo visual output.

标志墨稿即为标志的无彩色系(黑、白、灰)表现。无彩色系通过隐藏色彩信息, 使标志图形的结构关系、及色彩分布, 变得更为清晰准确。降低设计人员对于标志构成使用及理解成本的同时, 也确保了标志视觉输出的准确性及稳定性。

2-2-2

LYNKVERTX

英文标识 黑白稿

In order to meet the needs of the publishing media, in addition to color graphics, monochrome black and white legends have also been developed to ensure that the logo reflects consistency in the external image. This is a standard reverse image of the logo. The scope of use is mainly used in the printing of newspapers, faxes and other mono- chrome (black and white) prints that cannot be identified with gradient or color.

为适应发布媒体的需求，除彩色图形以外，亦制定单色黑白图例，保证标识在对外的形象中体现一致性。此为标识的标准反白图，使用范围主要应用于报纸广告，传真等无法识别渐变或彩色的单色（黑白）印刷范畴内，请严格按照此规范进行。

LYNKVERTX

LYNKVERTX

英文标识 制图规范

The standardized drawing is to standardize the consistency of the table mark in various occasions. Please observe this standard in use. For normal use, please directly call the electronic file in the manual, and enlarge, reduce, and stretch according to this proportion according to needs.

标准化制图是为了规范表标识在各种场合使用的一致性, 请在使用中遵守此标准, 常规运用请直接调用手册中的电子文件, 根据需要按此比例放大和缩小、拉伸。

	a	15a	a
a			a
1.62a		LYNKVERTX	
a			a
	a		a

英文标识 安全范围

The safe area of the sign is measured by the width of "L" . In order to ensure that the sign is clear and legible at all times, the sign should always maintain a clear safety range, and sufficient space must be reserved around it as a reserved space. No text, graphics or other elements are allowed in the reserved space.

标志的安全区域以字母“L”的宽度作为度量单位, 为了最大程度确保标志清晰易辨, 标志应始终保持一个明确的安全范围, 其周边必须保留足够的空间作为预留空间, 在预留空间内禁止出现任何文字、图案或其他元素。



图形标识与文字标识
组合

SYMBOL AND
LOGOTYPE
COMBINATION

2-3



图形标识与文字标识 横板组合黑白稿

In order to meet the needs of the publishing media, in addition to color graphics, monochrome black and white legends have also been developed to ensure that the logo reflects consistency in the external image. This is a standard reverse image of the logo. The scope of use is mainly used in the printing of newspapers, faxes and other mono- chrome (black and white) prints that cannot be identified with gradient or color.

为适应发布媒体的需求，除彩色图形以外，亦制定单色黑白图例，保证标识在对外的形象中体现一致性。此为标识的标准反白图，使用范围主要应用于报纸广告，传真等无法识别渐变或彩色的单色（黑白）印刷范畴内，请严格按照此规范进行。



图形标识与文字标识

横板组合制图规范

The standardized drawing is to standardize the consistency of the table mark in various occasions. Please observe this standard in use. For normal use, please directly call the electronic file in the manual, and enlarge, reduce, and stretch according to this proportion according to needs.

标准化制图是为了规范表标识在各种场合使用的一致性, 请在使用中遵守此标准, 常规运用请直接调用手册中的电子文件, 根据需要按此比例放大和缩小、拉伸。



图形标识与文字标识

横板组合安全距离

The safe area of the sign is measured by the width of "a" . In order to ensure that the sign is clear and legible at all times, the sign should always maintain a clear safety range, and sufficient space must be reserved around it as a reserved space. No text, graphics or other elements are allowed in the reserved space.

标志的安全区域以字母“a”的宽度作为度量单位, 为了最大程度确保标志清晰易辨, 标志应始终保持一个明确的安全范围, 其周边必须保留足够的空间作为预留空间, 在预留空间内禁止出现任何文字、图案或其他元素。

	2.35a		2.35a	
2.35a			链宇科技 LYNKVERTX	2.35a
2.35a				2.35a
	2.35a		2.35a	



链宇科技
LYNKVERTX

图形标识与文字标识
竖板组合黑白稿

In order to meet the needs of the publishing media, in addition to color graphics, monochrome black and white legends have also been developed to ensure that the logo reflects consistency in the external image. This is a standard reverse image of the logo. The scope of use is mainly used in the printing of newspapers, faxes and other mono- chrome (black and white) prints that cannot be identified with gradient or color.

为适应发布媒体的需求，除彩色图形以外，亦制定单色黑白图例，保证标识在对外的形象中体现一致性。此为标识的标准反白图，使用范围主要应用于报纸广告，传真等无法识别渐变或彩色的单色（黑白）印刷范畴内，请严格按照此规范进行。



图形标识与文字标识 竖板组合制图规范

The standardized drawing is to standardize the consistency of the table mark in various occasions. Please observe this standard in use. For normal use, please directly call the electronic file in the manual, and enlarge, reduce, and stretch according to this proportion according to needs.

标准化制图是为了规范表标识在各种场合使用的一致性, 请在使用中遵守此标准, 常规运用请直接调用手册中的电子文件, 根据需要按此比例放大和缩小、拉伸。

	a		a	
a				a
4.5a				
a				a
		链宇科技		
a				a
		LYNKVERTX		
a				a
	a		a	

图形标识与文字标识 竖板组合安全距离

The safe area of the sign is measured by the width of "a" . In order to ensure that the sign is clear and legible at all times, the sign should always maintain a clear safety range, and sufficient space must be reserved around it as a reserved space. No text, graphics or other elements are allowed in the reserved space.

标志的安全区域以字母“a”的宽度作为度量单位, 为了最大程度确保标志清晰易辨, 标志应始终保持一个明确的安全范围, 其周边必须保留足够的空间作为预留空间, 在预留空间内禁止出现任何文字、图案或其他元素。



3-1

3-1-1

*图形标识与中英文组合标识为链宇科技的主Logo
即最优先使用Logo



1. 横版组合Logo为最优先使用



2. 当画面比例过窄时, 可使用竖版组合Logo

*图形Logo仅作为小装饰应用于物料中



3-1-2

*图形标识与中英文组合标识为链宇科技的主Logo
即最优先使用Logo



1. 横版组合Logo为最优先使用



2. 当画面比例过窄时,可使用竖版组合Logo

图形标识与中英文横板 组合标识使用范例

*横版组合Logo为最优先使用



图形标识与中英文竖板 组合标识使用范例

1.当画面比例过窄时,可使用竖版组合Logo



2.当与其他品牌Logo并列出现时,为了使Logo最大化的呈现,可以使用竖版组合Logo



3-1-3

*图形Logo仅作为小装饰应用于物料中



3-2

图形标识与
中英文横版组合
标识最小使用规范

MINIMUM SIZE OF
HORIZONTAL COMBINATION

3-2-1

*此图形标识与中英文横版组合标识最小使用规范以印刷使用为参考
具体最小使用可能会因为不同的制作工艺而有不同
具体最小使用情况以最终能清晰显示和识别Logo为准！



1. 白底图形标识与中英文横版组合标识最小印刷使用



2. 反白图形标识与中英文横版组合标识最小印刷使用

图形标识与
中英文竖版组合
标识最小使用规范

MINIMUM SIZE OF
VERTICAL COMBINATION

3-2-2

*此图形标识与中英文竖版组合标识最小使用规范以印刷使用为参考
具体最小使用可能会因为不同的制作工艺而有不同
具体最小使用情况以最终能清晰显示和识别Logo为准！



印刷使用
最小使用高度不能小于 13mm

1. 白底图形标识与中英文竖版组合标识最小印刷使用



印刷使用
最小使用高度不能小于 13mm

2. 反白图形标识与中英文竖版组合标识最小印刷使用

3-2-3

*此图形标识最小使用规范以印刷使用为参考
具体最小使用可能会因为不同的制作工艺而有不同
具体最小使用情况以最终能清晰显示和识别Logo为准！



印刷使用
最小使用高度不能小于 6mm

1. 白底图形标识最小印刷使用



印刷使用
最小使用高度不能小于 6mm

2. 反白图形标识最小印刷使用

3-3

3-3-1

*当图形标识无法印刷出或制造出渐变的效果时
请使用去除渐变效果的实心图形标识！
如：金属、其他材质的立体图形、烫金烫银、压凹烫凸等
可能出现的应用情况有：立体徽章，布料刺绣等

3-3-2



3-4

3-4-1



禁止任意旋转图形标识



禁止连接图形标识的断开部分



禁止任意对图形标识进行镜像翻转



禁止不按比例拉伸图形标识




禁止随意移动图形标识的部件



禁止随意改变图形标识的渐变位置


3-4-2




禁止改变中英文标识的间距



禁止随意拉伸文字标识的比例




禁止任意改变文字标识的字形



禁止使用描边



禁止任意形式的透视变形



禁止任意加粗

3-4-3



禁止改变中英文标识的间距



禁止随意拉伸文字标识的比例



禁止任意形式的透视变形



禁止使用描边



禁止改变中英文标识的比例关系



禁止任意改变文字标识的组合方式

3-4-4



禁止改变图形标识与文字标识之间的间距



禁止随意拉伸标识的比例



禁止任意形式的透视变形



禁止使用描边



禁止改变图形标识与文比例关系



禁止任意改变图形标识与文字标识的组合形式



4-2

标准色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。

C27 M100 Y90 K0
R201 G0 B41
#C90029

C0 M0 Y0 K64
R91 G91 B91
#5B5B5B

C93 M88 Y89 K80
R0 G0 B0
#000000

C0 M96 Y66 K0
R255 G0 B61
#FF003D

图形标识 标准版

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



图形标识 标准色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



图形标识

反白色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



文字标识 标准色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。

链宇科技
LYNKVERTX

链宇科技
LYNKVERTX

链宇科技
LYNKVERTX

链宇科技
LYNKVERTX

文字标识 反白色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching. It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



标识色彩

禁止使用范例

If the logo is not used in accordance with specifications, it is easy to convey misinformation and adversely affect the brand image. Therefore, any situation where the color of the logo is not used in accordance with the regulations is prohibited

如果标识不按照规范使用，容易传达错误信息，并且对品牌形象产生不良影响。因此禁止出现任何不按规定使用标识色彩的情况。



logo禁止描边



文字logo禁止使用两种颜色



图形logo禁止改变渐变的形式



图形logo禁止在非四色印刷的情况下使用两种颜色




文字logo禁止使用渐变色



文字logo禁止使用标准色以外的颜色



图形logo禁止在四色印刷的情况下使用非渐变logo




图形logo禁止使用标准色以外的颜色




文字logo禁止放置在较为复杂的背景图上



文字logo颜色与背景色禁止过于接近



图形logo禁止放置在较为复杂的背景图上



图形logo颜色与背景色禁止过于接近

4-3

辅助色

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching, It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。


为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的 其它背景色彩。

C93 M88 Y89 K80 R0 G0 B0 #000000	C93 M88 Y89 K80 R0 G0 B0 #000000
C66 M100 Y87 K64 R58 G0 B14 #3A000E	C58 M93 Y100 K51 R84 G24 B6 #541806
C56 M100 Y92 K49 R89 G0 B21 #590015	C53 M96 Y100 K37 R109 G26 B10 #6D1A0A
C51 M100 Y94 K32 R119 G0 B28 #77001C	C47 M94 Y100 K17 R145 G39 B10 #91270A
C45 M100 Y86 K13 R153 G0 B44 #99002C	C36 M93 Y100 K2 R183 G48 B11 #B7300B
C38 M100 Y90 K3 R178 G0 B43 #B2002B	C20 M92 Y100 K0 R214 G50 B18 #D63212
C27 M100 Y90 K0 R201 G0 B41 #C90029	C11 M87 Y100 K0 R229 G66 B10 #E5420A
C18 M82 Y43 K0 R218 G77 B106 #DA4D6A	C8 M65 Y64 K0 R237 G123 B84 #ED7B54
C13 M62 Y27 K0 R228 G128 B148 #E48094	C5 M46 Y42 K0 R243 G165 B138 #F3A58A
C5 M30 Y100 K0 R243 G199 B208 #F3C7D0	C2 M21 Y17 K0 R250 G217 B206 #FAD9CE
C0 M0 Y0 K0 R255 G255 B255 #FFFFFF	C0 M0 Y0 K0 R255 G255 B255 #FFFFFF

辅助图形
黑白稿

In order to strengthen the brand image, the graphic logo is extended into auxiliary graphics.

为了强化品牌形象，将图形标识延展成为辅助图形。



辅助图形 使用范围

Auxiliary graphics can be used for complete graphics or partial interception. When intercepting the local use, the auxiliary graphics need to ensure the recognizability and beauty of its basic form.

辅助图形可使用完整图形，也可截取局部使用。截取局部使用时，辅助图形需保证其基本型的可识别性和美观度。

*辅助图形可截取使用范围：能保证识别出辅助图形的基本形状且美观即可
以下为不同比例画面辅助图形截取效果示意

1×2 (竖版)




1×1.5 (竖版)



1×1.5 (方形)



1.5×1 (横版)



2×1 (横版)



单色辅助图形 (红色色阶)

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching, it is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



单色辅助图形 (橙色色阶)

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching, it is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



单色反白辅助图形 (红色色阶)

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching, It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



单色反白辅助图形 (橙色色阶)

Color is the most important design element that can enhance the visual form besides shape. Standard color is the specific color system of the brand. It forms the main impression of the brand visually. It should always be used consistently.

In order to effectively protect the visual effects of the logo and the consistency of color matching, It is recommended that the color logo be fixed in the background color specified below. Do not use any background color other than the one below.

色彩是除了造型之外最能够强化视觉形式的重要设计元素。标准色彩是品牌的特定色彩系统，在视觉上形成品牌的主要印象，应始终保持标准色的一致运用。

为了有效保护标志的视觉效果，及色彩搭配的一致性。建议彩色标志在如下指定的背景色彩中固定使用，请勿随意使用下图以外的其它背景色彩。



第二层级辅助色

The second level auxiliary color can be applied to auxiliary design content.

第二层级辅助色可应用于辅助性设计内容。

C93 M88 Y89 K80 R0 G0 B0 #000000	C93 M88 Y89 K80 R0 G0 B0 #000000	C93 M88 Y89 K80 R0 G0 B0 #000000
C97 M66 Y100 K57 R1 G45 B23 #012D17	C96 M100 Y63 K48 R23 G1 B53 #170135	C85 M81 Y78 K66 R25 G25 B26 #19191A
C96 M53 Y100 K24 R2 G86 B48 #025630	C95 M100 Y56 K10 R43 G4 B99 #2B0463	C80 M74 Y71 K45 R50 G51 B51 #323333
C94 M40 Y100 K3 R3 G119 B63 #03773F	C89 M100 Y8 K0 R65 G6 B150 #410496	C74 M67 Y64 K23 R77 G77 B77 #4D4D4D
C88 M12 Y94 K0 R4 G155 B83 #049B53	C83 M87 Y0 K0 R82 G5 B240 #5205CC	C67 M59 Y56 K6 R102 G102 B102 #666666
C81 M0 Y87 K0 R19 G186 B94 #13BA5E	C77 M82 Y0 K0 R112 G8 B247 #7008F7	C58 M49 Y45 K0 R127 G127 B128 #7F7F80
C77 M0 Y84 K0 R3 G216 B109 #03D86D	C70 M77 Y0 K0 R138 G67 B249 #8A43F9	C50 M41 Y39 K0 R144 G144 B144 #909090
C67 M0 Y61 K0 R87 G229 B154 #57E59A	C50 M55 Y0 K0 R171 G128 B255 #AB80FF	C39 M31 Y30 K0 R170 G170 B169 #AAAAA9
C50 M0 Y42 K0 R152 G237 B189 #98EDBD	C29 M36 Y0 K0 R200 G175 B249 #C8AFF9	C27 M21 Y20 K0 R195 G195 B195 #C3C3C3
C20 M0 Y22 K0 R222 G249 B222 #DEF9DE	C10 M14 Y0 K0 R234 G227 B252 #EAE3FC	C15 M12 Y12 K0 R222 G221 B220 #DEDDDC
C0 M0 Y0 K0 R255 G255 B255 #FFFFFF	C0 M0 Y0 K0 R255 G255 B255 #FFFFFF	C0 M0 Y0 K0 R255 G255 B255 #FFFFFF

第二层级辅助色 使用范例

The second level auxiliary color can be applied to auxiliary design content.

第二层级辅助色可应用于辅助性设计内容。



4-4

特殊色彩(新年)

C4 M27 Y100 K0 R249 G201 B0 #F9C900	C0 M82 Y100 K0 R255 G91 B0 #FF5B00
C8 M87 Y41 K0 R218 G77 B106 #DA4D6A	C0 M100 Y66 K0 R255 G0 B61 #FF003D

In order to match the color of special festivals, a color system for the New Year atmosphere is established.

Note:
The following special colors are only used in the new year.

为了配合特殊节日的色彩使用, 故建立新年气氛的色彩系统。

注:
以下特殊色彩仅在新年使用。

特殊色彩 不同底色的辅助图形 (新年)

In order to match the color of special festivals, a color system for the New Year atmosphere is established.

为了配合特殊节日的色彩使用,故建立新年气氛的色彩系统。

Note:
The following special colors are only used in the new year.

注:
以下特殊色彩仅在新年使用。



Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of characters or the standard unity of character types.

The character system of LYNKVERTX is made up of Chinese / Western characters.

Chinese font family: Source Han Sans CN

According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。

LYNKVERTX 文字系统由中/西文字型共同构成。

中文字型家族:思源黑体

根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即

思源黑体 Light/Normal/Medium/Bold

思源黑体 Light

思源黑体 Normal

思源黑体 Medium

思源黑体 Bold

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of characters or the standard unity of character types.
The character system of LYNKVERTX is made up of Chinese / Western characters.
Chinese font family: Source Han Sans CN
According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。
LYNKVERTX 文字系统由中/西文字型共同构成。
中文字型家族:思源黑体
根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即
思源黑体 Light/Normal/Medium/Bold

电充冬夏, 网连九州

电充冬夏, 网连九州

电充冬夏, 网连九州

电充冬夏, 网连九州

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of characters or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold	文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。 LYNKVERTX 文字系统由中/西文字型共同构成。 中文字型家族: 思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即 思源黑体 Light/Normal/Medium/Bold
---	--

Source Han Sans Light

Source Han Sans Normal

Source Han Sans Medium

Source Han Sans Bold

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素，无论于文字的传达功能性、还是文字字型的标准统一性，都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。中文字型家族：思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配，共择以四例字重，即思源黑体 Light/Normal/Medium/Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890\$(&?!%.,:;-)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890\$(&?!%.,:;-)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890\$(&?!%.,:;-)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890\$(&?!%.,:;-)

	Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of characters or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold	文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。 LYNKVERTX 文字系统由中/西文字型共同构成。 中文字型家族: 思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即 思源黑体 Light/Normal/Medium/Bold
--	--	---

思源黑体 Light
Source Han Sans Light

思源黑体 Source Han Sans

思源黑体 Normal
Source Han Sans Normal

思源黑体 Source Han Sans

思源黑体 Medium
Source Han Sans Medium

思源黑体 Source Han Sans

思源黑体 Bold
Source Han Sans Bold

思源黑体 Source Han Sans

中/西文字型排印 标题效果预览一

24pt.思源黑体 Light
24pt.Source Han Sans Light

思源黑体 Light
Source Han Sans Light

36pt.思源黑体 Light
36pt.Source Han Sans Light

思源黑体 Light
Source Han Sans Light

48pt.思源黑体 Light
48pt.Source Han Sans Light

思源黑体 Light
Source Han Sans Light

60pt.思源黑体 Light
60pt.Source Han Sans Light

思源黑体 Light
Source Han Sans Light

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素，无论于文字的传达功能性、还是文字字型的标准统一性，都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。中文字型家族：思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配，共择以四例字重，即思源黑体 Light/Normal/Medium/Bold

中/西文字型排印 标题效果预览二

24pt.思源黑体 Normal
24pt.Source Han Sans Normal

思源黑体 Normal
Source Han Sans Normal

36pt.思源黑体 Normal
36pt.Source Han Sans Normal

思源黑体 Normal
Source Han Sans Normal

48pt.思源黑体 Normal
48pt.Source Han Sans Normal

思源黑体 Normal
Source Han Sans Normal

60pt.思源黑体 Normal
60pt.Source Han Sans Normal

思源黑体 Normal
Source Han Sans Normal

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素，无论于文字的传达功能性、还是文字字型的标准统一性，都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。中文字型家族：思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配，共择以四例字重，即思源黑体 Light/Normal/Medium/Bold

中/西文字型排印 标题效果预览三

24pt.思源黑体 Medium
24pt.Source Han Sans Medium

思源黑体 Medium
Source Han Sans Medium

36pt.思源黑体 Medium
36pt.Source Han Sans Medium

思源黑体 Medium
Source Han Sans Medium

48pt.思源黑体 Medium
48pt.Source Han Sans Medium

思源黑体 Medium
Source Han Sans Medium

60pt.思源黑体 Medium
60pt.Source Han Sans Medium

思源黑体 Medium
Source Han Sans Medium

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素，无论于文字的传达功能性、还是文字字型的标准统一性，都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。中文字型家族：思源黑体 根据文本层级的灵活排布需要及中文字重的灰度搭配，共择以四例字重，即思源黑体 Light/Normal/Medium/Bold

中/西文字型排印 标题效果预览四

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types.

The character system of LYNKVERTX is made up of Chinese / Western characters.

Chinese font family: Source Han Sans CN

According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。

LYNKVERTX 文字系统由中/西文字型共同构成。

中文字型家族:思源黑体

根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即

思源黑体 Light/Normal/Medium/Bold

24pt.思源黑体 Bold
24pt.Source Han Sans Bold

思源黑体 Bold
Source Han Sans Bold

36pt.思源黑体 Bold
36pt.Source Han Sans Bold

思源黑体 Bold
Source Han Sans Bold

48pt.思源黑体 Bold
48pt.Source Han Sans Bold

思源黑体 Bold
Source Han Sans Bold

60pt.思源黑体 Bold
60pt.Source Han Sans Bold

思源黑体 Bold
Source Han Sans Bold

中/西文字型排印正文效果预览一

标题：
15pt.思源黑体 Light / Source Han Sans Light

内文：
10pt.思源黑体 Light / Source Han Sans Light

链宇科技

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧，致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广，立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

链宇致力于解决电动汽车全气候充电、分布式可再生能源消纳等难题，面向车网互动、光储充微电网、电动汽车低温充电三大应用场景，提供“器件-设备-算法-平台”的全栈式解决方案:为建筑和园区提供智慧能源管理、减少综合能耗、增加电力交易收入;为电动汽车车主提供无损全气候快充与V2G增值服务;聚合引导电动汽车参与新型电力系统建设，推动电动汽车与电网的协同发展。

标注：
7pt.思源黑体 Light / Source Han Sans Light

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧，致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广，立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Minggao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

LYNKVERTX

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Minggao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Lianyu is committed to solving the problems of all-climate EV charging and distributed renewable energy power fluctuations. Lianyu has developed the full-stack "device-equipment-system platform " solution for three main application scenarios, including V2G, all-climate EV charging, and “PV & BESS & charging” microgrids. We provide intelligent energy management solutions for buildings and industrial parks, to reduce energy consumption and increase electricity trading revenue. We serve EV owners with non-destructive all climate fast charging and value-added V2G incomes for EV. We guide and gather EVs to serve in the new power system trading, and promote the coordinated development of EVs and the power grid.

文字作为品牌视觉中图形以外的重要传达要素，无论于文字的传达功能性、还是文字字型的标准统一性，都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。

中文字型家族:思源黑体

根据文本层级的灵活排布需要及中文字重的灰度搭配，共择以四例字重，即

思源黑体 Light/Normal/Medium/Bold

中/西文字型排印正文效果预览二

标题：
15pt.思源黑体 Normal / Source Han Sans Normal

内文：
10pt.思源黑体 Normal / Source Han Sans Normal

链宇科技

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧, 致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广, 立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

链宇致力于解决电动汽车全气候充电、分布式可再生能源消纳等难题, 面向车网互动、光储充微电网、电动汽车低温充电三大应用场景, 提供“器件-设备-算法-平台”的全栈式解决方案: 为建筑和园区提供智慧能源管理、减少综合能耗、增加电力交易收入; 为电动汽车车主提供无损全气候快充与V2G增值服务; 聚合引导电动汽车参与新型电力系统建设, 推动电动汽车与电网的协同发展。

标注：
7pt.思源黑体 Normal / Source Han Sans Normal

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧, 致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广, 立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Minggao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

LYNKVERTX

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Ming-gao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Lianyu is committed to solving the problems of all-climate EV charging and distributed renewable energy power fluctuations. Lianyu has developed the full-stack "device-equipment-system platform " solution for three main application scenarios, including V2G, all-climate EV charging, and “PV & BESS & charging” microgrids. We provide intelligent energy management solutions for buildings and industrial parks, to reduce energy consumption and increase electricity trading revenue. We serve EV owners with non-destructive all climate fast charging and value-added V2G incomes for EV. We guide and gather EVs to serve in the new power system trading, and promote the coordinated development of EVs and the power grid.

文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。

中文字型家族: 思源黑体

根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即

思源黑体 Light/Normal/Medium/Bold

中/西文字型排印正文效果预览

标题：
15pt.思源黑体 Medium / Source Han Sans Medium

内文：
10pt.思源黑体 Medium / Source Han Sans Medium

链宇科技

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧, 致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广, 立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

链宇致力于解决电动汽车全气候充电、分布式可再生能源消纳等难题, 面向车网互动、光储充微电网、电动汽车低温充电三大应用场景, 提供“器件-设备-算法-平台”的全栈式解决方案: 为建筑和园区提供智慧能源管理、减少综合能耗、增加电力交易收入; 为电动汽车车主提供无损全气候快充与V2G增值服务; 聚合引导电动汽车参与新型电力系统建设, 推动电动汽车与电网的协同发展。

标注：
7pt.思源黑体 Medium / Source Han Sans Medium

北京链宇科技有限责任公司孵化于清华大学欧阳明高院士团队智慧, 致力于车网互动 (V2G) 与能源物联网方案的研发、落地和服务推广, 立志于在“双碳”使命目标下实现交通-能源的协同创新与变革引领。

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Minggao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Character, as an important communication element besides graphics in brand vision, is a necessary way to construct brand visual image, whether it is the communication function of character or the standard unity of character types. The character system of LYNKVERTX is made up of Chinese / Western characters. Chinese font family: Source Han Sans CN According to the flexible arrangement of the text hierarchy and the gray-scale collocation of the English character weight, four Chinese character weights are selected as the structural complement of the Chinese character type system, namely, Source Han Sans CN Light/Normal/Medium/Bold

LYNKVERTX

Beijing Lianyu Technology Co., Ltd. was incubated in the research group of Ouyang Minggao (Academician of the Academy of Sciences) of Tsinghua University. Lianyu is committed to the R&D, implementation and service promotion of Vehicle-to-Grid (V2G) and energy Internet of things solutions. We are determined to lead the transportation & energy revolution under the mission of “carbon peak” and “carbon neutralization”.

Lianyu is committed to solving the problems of all-climate EV charging and distributed renewable energy power fluctuations. Lianyu has developed the full-stack "device-equipment-system platform " solution for three main application scenarios, including V2G, all-climate EV charging, and “PV & BESS & charging” microgrids. We provide intelligent energy management solutions for buildings and industrial parks, to reduce energy consumption and increase electricity trading revenue. We serve EV owners with non-destructive all climate fast charging and value-added V2G incomes for EV. We guide and gather EVs to serve in the new power system trading, and promote the coordinated development of EVs and the power grid.

文字作为品牌视觉中图形以外的重要传达要素, 无论于文字的传达功能性、还是文字字型的标准统一性, 都是构建品牌视觉形象的必要途径。LYNKVERTX 文字系统由中/西文字型共同构成。

中文字型家族: 思源黑体

根据文本层级的灵活排布需要及中文字重的灰度搭配, 共择以四例字重, 即

思源黑体 Light/Normal/Medium/Bold

